



SCC consulted at the 52th meeting (22-23th of May 2001)

ADDENDUM TO :

MANDATE TO CEN/CENELEC
CONCERNING THE EXECUTION OF STANDARDISATION WORK
FOR HARMONISED STANDARDS ON

M 106 - GYPSUM PRODUCTS

This addendum modifies the original mandate in the following manner :

- The product “Fibrous gypsum plaster cast” shall be added of the mandate **GYPSUM PRODUCTS**, such that it shall read as shown in Annex A below
 - ✓ . to the Annex 1, in the section relating to use 4/33, 5/33, 10/33, 12/33, 14/33
 - ✓ . to the annex 2, in the section relating to use 4/33 and 12/33
 - ✓ . to the Annex 3 in the table 1/4, 2/4 and 4/4
- This is to over for which the intended use in 4/33 (External walls - including cladding - and internal walls and partitions), 5/33 (galleries and ceilings), 10/33 (suspended ceilings), 12/33 (internal finishes of walls and partitions) and 14/33 (ceiling finishes)
- The corresponding Commission Decision 95/467/EC will be amended accordingly

ANNEX A

ADDITION TO ANNEX 1 OF MANDATE

The following row is added to the table in Annex 1, in the section relating to use “4/33 EXTERNAL WALLS (including cladding), INTERNAL WALLS AND PARTITIONS”:

FORM	MATERIALS	PRODUCTS FOR CONSIDERATION
Sections Rigid sheets	Gypsum + reinforcement (organic, mineral or metal)	Fibrous gypsum plaster casts for partitions

The following row is added to the table in Annex 1, in the section relating to use “5/33 FLOORS, GALLERIES AND CEILINGS”:

FORM	MATERIALS	PRODUCTS FOR CONSIDERATION
Rigid sheets	Gypsum + reinforcement (organic, mineral or metal)	Fibrous gypsum plaster casts for ceilings, vaults, domes

The following row is added to the table in Annex 1, in the section relating to use “10/33 SUSPENDED CEILINGS”:

FORM	MATERIALS	PRODUCTS FOR CONSIDERATION
Rigid sheets Rigid tiles	Gypsum + reinforcement (organic, mineral or metal)	Fibrous gypsum plaster casts for suspended ceilings, ceiling membranes

The following row is added to the table in Annex 1, in the section relating to use “12/33 INTERNAL FINISHES OF WALLS AND PARTITIONS” :

FORM	MATERIALS	PRODUCTS FOR CONSIDERATION
Sections	Gypsum + reinforcement (organic, mineral or metal)	Fibrous gypsum plaster casts for encasements, casings
Rigid sheets	Gypsum + reinforcement (organic, mineral or metal)	Fibrous gypsum plaster casts for internal linings to walls and partitions, structures for acoustic/fire improvement

The following row is added to the table in Annex 1, in the section relating to use “14/33 CEILING FINISHES” :

FORM	MATERIALS	PRODUCTS FOR CONSIDERATION
Rigid sheets	Gypsum + reinforcement (organic, mineral or metal)	Fibrous gypsum plaster casts for linings to ceilings

ADDITION TO ANNEX 2 OF MANDATE

The following family of products is added to Annex 2, in the section relating to use “4/33 EXTERNAL WALLS (including cladding), INTERNAL WALLS AND PARTITIONS” and “12/33 INTERNAL FINISHES OF WALLS AND PARTITIONS”:

FAMILY AND SUBFAMILIES

Fibrous gypsum plaster casts for walls and partitions
--

Characteristics to be covered by the harmonised standards will be :

E R	PERFORMANCE CHARACTERISTICS *	DURABILITY
1		Y
2	Reaction to fire Resistance to fire	(e.g. against water, chemicals, ..., as relevant)
3	Release of dangerous substances *	
4	Impact resistance (for fire protection and/or compartmentation)	
5	Direct airborne sound insulation Acoustic absorption	
6	Thermal resistance	

* In particular, those dangerous substances defined in Council Directive 76/769/EEC, as amended.

“

The following family of products is added to Annex 2, in the section relating to use “5/33 FLOORS, GALLERIES AND CEILINGS”, “10/33 SUSPENDED CEILINGS ” and “14/33 CEILING FINISHES”:

FAMILY AND SUBFAMILIES

Fibrous gypsum plaster casts for ceilings

Characteristics to be covered by the harmonised standards will be :

E R	PERFORMANCE CHARACTERISTICS *	DURABILITY
1		Y
2	Reaction to fire Resistance to fire	(e.g. against water, chemicals, ..., as relevant)
3	Release of dangerous substances *	
4	Impact resistance (for fire protection and/or compartmentation)	
5	Direct airborne sound insulation Acoustic absorption	
6	Thermal resistance	

* In particular, those dangerous substances defined in Council Directive 76/769/EEC, as amended.

“

ADDITION TO ANNEX 3 OF MANDATE

In Annex 3 the following text is inserted in the “Product(s)” column of the tables for product families “Gypsum products (1/4)”, “Gypsum products (2/4)” and “Gypsum products (4/4)”, after the existing text : “Fibrous gypsum plaster casts”

ATTESTATION OF CONFORMITY

Product family: gypsum products (1/4)

Product(s)	Intended use(s)	Level(s) or class(es) <i>(reaction to fire) (1)</i>	Attestation of conformity system(s)
Fibrous gypsum plaster casts, including relevant ancillary products	in walls, partitions or ceilings (or lining thereof) subject to reaction to fire requirements	(of incorporated materials) A1 ⁽²⁾ , A2 ⁽²⁾ , B ⁽²⁾ , C ⁽²⁾	1 ⁽⁴⁾
		A1 ⁽³⁾ , A2 ⁽³⁾ , B ⁽³⁾ , C ⁽³⁾ , D, E	3 ⁽⁵⁾
		A1 to E ⁽⁷⁾ - F	4 ⁽⁶⁾

(1) For reaction to fire, see Commission Decision 2000/147/EC (OJ L 50,23.02.2000 page 14)

(2) Products/materials for which a clearly identifiable stage in the production process results in an improvement of the reaction to fire classification (e.g. an addition of fire retardant or a limiting of organic material)

(3) Products/materials not covered by footnote (2).

(4) System 1: See CPD Annex III.2.(i), without audit-testing of samples

(5) System 3: See CPD Annex III.2.(ii), Second possibility

(6) System 4: See CPD Annex III.2.(ii), third possibility

(7) Products/materials that do not require to be tested for reaction to fire (e.g. Products/materials of classes A.1 according to Commission Decision 96/603/EC as amended)

Product family: gypsum products (2/4)

Product(s)	Intended use(s)	Level(s) or class(es) <i>(resistance to fire)</i>	Attestation of conformity system(s)
Fibrous gypsum plaster casts, including relevant ancillary products	in walls, partitions or ceilings, as relevant intended for fire protection of structural elements and/or fire compartmentation in buildings	Any	3
System 3: See CPD Annex III.2.(ii), Second possibility			

Table 3/4 is not changed

Product family: gypsum products (4/4)

Product(s)	Intended use(s)	Level(s) or class(es) <i>(resistance to fire)</i>	Attestation of conformity system(s)
Fibrous gypsum plaster casts, including relevant ancillary products	in walls, partitions or ceilings, as relevant for situations and use not mentioned in (1/4), (2/4) or (3/4)	-	4
System 4: See CPD Annex III.2.(ii), Third possibility			